



EDIBLE SEA SALT

Grain size	From 1 mm up to 7 mm
Moisture	0.03% Max.
Packing	25 / 50 Kgs PP or 1 Ton Bigbags
Color	Crystal, White

REFINE CRYSTAL SALT

Grain size	From 0.20 mm up to 0.85 mm
Moisture	0.03% Max.
Packing	0.2, 0.5, 1 Kg. PE bags, & 25 / 50 Kgs PP bags
Iodine	Yes
Color	Crystal, White

REFINE TABLET SALT

Nacl	99,50% Min
Moisture	0.040% Max.
Ca	0.008% Max.
Mg	0.005% Max.
SO4	0.019% Max.
Insolubles	0.010% Max.
Packing	25 / 50 Kgs PP bags
Color	White

EuroSalt Salt Industry & Business Solutions

Address: 1766 Sok. Yekta Apt. No:10 D.1 K.Yaka- Izmir / TURKEY

Web: www.salteuro.com



FINE TABLET SALT

Nacl	98,50% Min
Moisture	0.6% Max.
Insolubles	0.1% Max.
Packing	25 / 50 Kgs PP bags
Color	White

RAW SALT (De-Icing)

Nacl	96-97%
Moisture	5% Max.
Insolubles	1% Max.
Mg	0.90% Max.
Ca	0.24% Max.
Packing	Bulk, Bigbag
Color	White, Yellowish

WASHED SALT INDUSTRIAL PURPOSE (for chlor-alkali factories and industry)

Nacl	99,50%
Moisture	4 %Max.
Insolubles	0.15 % Max.
Mg	0.06 % Max.
Ca	0.04 % Max.
SO4	0.24 % Max.
Packing	Bulk, Bigbag
Color	White

EuroSalt Salt Industry & Business Solutions

Address: 1766 Sok. Yekta Apt. No:10 D.1 K.Yaka- Izmir / TURKEY

Web: www.salteuro.com



SODA ASH DENSE

SODA ASH DENSE (technical calcined soda Brand A)	
<i>Index name</i>	<i>Standard</i>
1. Outward appearance	White-color granules
2. Mass percent of sodium carbonate (Na ₂ CO ₃), min	99,0
3. Mass percent of sodium carbonate (Na ₂ CO ₃) in calculation to all non-calcined prod, min	98,2
4. Mass percent of calcination (270-300o) loss, max	0,8
5. Mass percent of chlorides in calculation to NaCl, max	0,5
6. Mass percent of iron in calculation to Fe ₂ O ₃ , max	0,005
7. Mass percent of substances insoluble in water, max	0,04
8. Mass percent of sulphates in calculation to Na ₂ SO ₄ , max	0,05
9. Bulk (apparent) density g/?m ³ , min	0,9
10. Particle Size. Using International Standard Sieves.	
1. on 2,000 mm, max, %	5
2. through 0,125 mm, max %	15

SODA ASH LIGHT

SODA ASH LIGHT (Na₂CO₃) (technical calcined soda Brand B)	
<i>Index name</i>	<i>Standard</i>
1.Outward appearance	White-colour Powder
2.Mass percent of sodium carbonate (Na ₂ CO ₃), not less	99,0
3.Mass percent of sodium carbonate (Na ₂ CO ₃) in calculation to all non-calcined prod, not less	98,2
4.Mass percent of calcination (270-300o) loss, not more	0,8
5.Mass percent of chlorides in calculation to NaCl, not more	0,5
6.Mass percent of iron in calculation to Fe ₂ O ₃ , not more	0,003
7.Mass percent of substances insoluble in water, not more	0,04
8.Mass percent of sulphates in calculation to Na ₂ SO ₄ , not more	0,05

EuroSalt Salt Industry & Business Solutions

Address: 1766 Sok. Yekta Apt. No:10 D.1 K.Yaka- Izmir / TURKEY

Web: www.salteuro.com